


Pfizer-BioNTech  
**COMIRNATY™**  
mRNA COVID-19 vaccine

≥ 12 years

DIN 02527863

Grey Cap, Grey Border

 **SUPPLIED:**  
multidose vial;  
**30 mcg/0.3 mL**

 **PREPARATION:**  
ready-to-use;  
**DO NOT DILUTE**

 **ADMINISTRATION:**  
IM injection

 **APPROPRIATE USE:**

- 12 years & older
- eligibility, intervals, and additional considerations: see QR code



 **BEYOND-USE EXPIRY DATE/TIME:**

- **Unpunctured:**
  - 2°C to 8°C: use vaccine within 10 weeks
  - 8°C to 25°C: puncture vials within 12 hours
- **Punctured:** 2°C to 25°C: use vaccine within 12 hours of first puncture

 **HANDLING:**

- DO NOT DILUTE
- before use, invert vial gently 10 times to mix; do not shake

 **APPEARANCE:**

- prior to inversion, may contain white to off-white opaque amorphous particles
- after inversion, should appear as white to off-white suspension
- NO particulate matter/discolouration

 **DOSE:**

**PRIMARY SERIES**  
**0.3 mL** (30 mcg mRNA)

**BOOSTER DOSE**  
**0.3 mL** (30 mcg mRNA)

specific eligibility criteria and intervals are available through QR code

 **VIAL STORAGE:**


- between 2°C and 25°C for no more than 12 hours after first puncture
- protect from light when stored; can be handled in room light conditions

Pfizer-BioNTech  
**COMIRNATY™**  
mRNA COVID-19 vaccine

≥ 12 years

DIN 02527863

Grey Cap, Grey Border

 **SUPPLIED:**  
multidose vial;  
**30 mcg/0.3 mL**

 **PREPARATION:**  
ready-to-use;  
**DO NOT DILUTE**

 **ADMINISTRATION:**  
IM injection

 **APPROPRIATE USE:**

- 12 years & older
- eligibility, intervals, and additional considerations: see QR code



 **BEYOND-USE EXPIRY DATE/TIME:**

- **Unpunctured:**
  - 2°C to 8°C: use vaccine within 10 weeks
  - 8°C to 25°C: puncture vials within 12 hours
- **Punctured:** 2°C to 25°C: use vaccine within 12 hours of first puncture

 **HANDLING:**

- DO NOT DILUTE
- before use, invert vial gently 10 times to mix; do not shake

 **APPEARANCE:**

- prior to inversion, may contain white to off-white opaque amorphous particles
- after inversion, should appear as white to off-white suspension
- NO particulate matter/discolouration

 **DOSE:**

**PRIMARY SERIES**  
**0.3 mL** (30 mcg mRNA)

**BOOSTER DOSE**  
**0.3 mL** (30 mcg mRNA)

specific eligibility criteria and intervals are available through QR code

 **VIAL STORAGE:**

- between 2°C and 25°C for no more than 12 hours after first puncture
- protect from light when stored; can be handled in room light conditions